

DE

Gebrauchsanweisung

Produktbeschreibung

HydroTac transparent ist ein transparenter Hydrogelverband aus Hydroxyethylmethacrylat. Die Rückseite besteht aus einem wasserundurchlässigen, flüssigkeits- und keimdichten Deckfilm aus Polyurethan.

HydroTac transparent verfügt zusätzlich über einen umlaufenden, selbsthaftenden Kleberand, der mit einem auf Acrylat basierten Kleber beschichtet ist.

Eigenschaften und Wirkungsweise
HydroTac transparent kann sowohl feuchtigkeit abgeben als auch in begrenztem Maße Sekrete aufnehmen. Hierdurch stellt sich in jedem Falle ein frisches Wundmilieu ein, das stimulierend auf die Wundheilung wirkt. HydroTac transparent ist transparent und ermöglicht einen atraumatischen Verbandwechsel.

Bedingt durch die Transparenz ist eine Wundinspektion jederzeit und ohne Verbandabnahme möglich.

Da HydroTac transparent confort über einen hauffeudenden umlaufenden Kleberand verfügt, sind hier keine zusätzlichen Materialien für die Verbandfixierung notwendig.

Verwendungsbedingungen
HydroTac transparent eignet sich für die Behandlung von Wunden in der Granulations- und Epithelisierungsphase mit keiner bis geringer Exsudation.

HydroTac transparent ist für die Verwendung durch Fachkräfte der Wundbehandlung vorgesehen. Wundbehandlungsfachkräfte können den Verbandwechsel an Patienten und/oder Familienangehörige delegieren (Durchführung durch Laien nach Anleitung von Fachkräften).

Anwendungsinweise
HydroTac transparent in der Größe so wählen, dass das Wundkissen die Wundränder ca. 1–2 cm überlappt. Falls erforderlich, kann HydroTac transparent auf die gewünschte Größe zugeschnitten werden; dafür darf nur eine sterile Schere verwendet werden.

Die umliegende Haut sollte trocken sein, bevor HydroTac transparent confort mit umlaufendem Kleberand angebracht wird.

HydroTac transparent ist für die Schutffolie entsprechend der Nummerierung (1 & 2) abziehen. HydroTac transparent mit der Gel-beschichteten Seite auf die Wunde legen und mit geeigneten Materialien fixieren.

HydroTac transparent confort: Die blaue Schutzfolie entsprechend der Nummerierung (1 & 2) abziehen, den Verband mit der Gel-beschichteten Seite auf die Wunde legen und den Kleberand gut andrücken. Dann die Deckfolie entsprechend der Nummerierung (3 & 4) abziehen.

HydroTac transparent kann bis zu 7 Tage auf der Wunde verbleiben. HydroTac transparent zum Verbandwechsel an einer Ecke leicht ziehen und vorsichtig abheben.

Produktvorsorgung
Um das Risiko potentieller Infektionsgefahren oder einer Umweltschmutzung zu minimieren, sollten die HydroTac transparent Wegwerfmaterialien gemäß geltenden lokalen Gesetzen, Verordnungen, Vorschriften und Standards zur Infektionsprävention entsorgt werden.

Kontraindikationen
HydroTac transparent nicht bei Patienten mit einer Unverträglichkeit gegen einen der Bestandteile, insbesondere Polyurethan, Glyzerin oder einen auf Acrylat basierten Kleber, anwenden. Nicht anwenden, wenn eine klinische Infektion vorliegt, daspielen bei Brandwunden 3. Grades.

Mögliche Nebenwirkungen
Wie jedes andere medizinische Produkt kann auch dieses Produkt Nebenwirkungen haben, die nicht bei jedem Patienten auftreten müssen.

Allgemeine Nebenwirkungen von HydroTac transparent:

• In seltenen Fällen kann HydroTac transparent eine lokale Reaktion (Rötung, Hautreaktionen wie z. B. Rötung, Schwellung) hervorrufen.

• In seltenen Fällen kann HydroTac transparent eine allergische Reaktion hervorrufen. Wenn bei Ihnen Nebenwirkungen auftreten, die hier nicht aufgeführt sind, wenden Sie sich bitte an Ihren Arzt oder Apotheker.

Besondere Vorsichtsmaßnahmen
Vor jeder Behandlung von Wunden mit beeinträchtigter Heilungstendenz ist eine ärztliche Beurteilung des Wundzustandes und der Ursachen aller Wundheilungsstörungen notwendig. Die Behandlung mit HydroTac transparent kann eine Kausalbehandlung der Wundverletzungen nicht ersetzen.

Die Wiederverwendung eines Einmalprodukts ist gefährlich. Die Wiederaufbereitung von Einmalprodukten, um sie erneut zu verwenden, kann ihre Integrität und Leistung deutlich beeinträchtigen.

Die Wiederverwendung eines Einmalprodukts ist gefährlich. Die Wiederaufbereitung von Einmalprodukten, um sie erneut zu verwenden, kann ihre Integrität und Leistung deutlich beeinträchtigen.

Die Wiederverwendung eines Einmalprodukts ist gefährlich. Die Wiederaufbereitung von Einmalprodukten, um sie erneut zu verwenden, kann ihre Integrität und Leistung deutlich beeinträchtigen.

Die Wiederverwendung eines Einmalprodukts ist gefährlich. Die Wiederaufbereitung von Einmalprodukten, um sie erneut zu verwenden, kann ihre Integrität und Leistung deutlich beeinträchtigen.

Die Wiederverwendung eines Einmalprodukts ist gefährlich. Die Wiederaufbereitung von Einmalprodukten, um sie erneut zu verwenden, kann ihre Integrität und Leistung deutlich beeinträchtigen.

Die Wiederverwendung eines Einmalprodukts ist gefährlich. Die Wiederaufbereitung von Einmalprodukten, um sie erneut zu verwenden, kann ihre Integrität und Leistung deutlich beeinträchtigen.

Die Wiederverwendung eines Einmalprodukts ist gefährlich. Die Wiederaufbereitung von Einmalprodukten, um sie erneut zu verwenden, kann ihre Integrität und Leistung deutlich beeinträchtigen.

Die Wiederverwendung eines Einmalprodukts ist gefährlich. Die Wiederaufbereitung von Einmalprodukten, um sie erneut zu verwenden, kann ihre Integrität und Leistung deutlich beeinträchtigen.

Die Wiederverwendung eines Einmalprodukts ist gefährlich. Die Wiederaufbereitung von Einmalprodukten, um sie erneut zu verwenden, kann ihre Integrität und Leistung deutlich beeinträchtigen.

Die Wiederverwendung eines Einmalprodukts ist gefährlich. Die Wiederaufbereitung von Einmalprodukten, um sie erneut zu verwenden, kann ihre Integrität und Leistung deutlich beeinträchtigen.

Die Wiederverwendung eines Einmalprodukts ist gefährlich. Die Wiederaufbereitung von Einmalprodukten, um sie erneut zu verwenden, kann ihre Integrität und Leistung deutlich beeinträchtigen.

Die Wiederverwendung eines Einmalprodukts ist gefährlich. Die Wiederaufbereitung von Einmalprodukten, um sie erneut zu verwenden, kann ihre Integrität und Leistung deutlich beeinträchtigen.

Die Wiederverwendung eines Einmalprodukts ist gefährlich. Die Wiederaufbereitung von Einmalprodukten, um sie erneut zu verwenden, kann ihre Integrität und Leistung deutlich beeinträchtigen.

Die Wiederverwendung eines Einmalprodukts ist gefährlich. Die Wiederaufbereitung von Einmalprodukten, um sie erneut zu verwenden, kann ihre Integrität und Leistung deutlich beeinträchtigen.

Die Wiederverwendung eines Einmalprodukts ist gefährlich. Die Wiederaufbereitung von Einmalprodukten, um sie erneut zu verwenden, kann ihre Integrität und Leistung deutlich beeinträchtigen.

Die Wiederverwendung eines Einmalprodukts ist gefährlich. Die Wiederaufbereitung von Einmalprodukten, um sie erneut zu verwenden, kann ihre Integrität und Leistung deutlich beeinträchtigen.

Die Wiederverwendung eines Einmalprodukts ist gefährlich. Die Wiederaufbereitung von Einmalprodukten, um sie erneut zu verwenden, kann ihre Integrität und Leistung deutlich beeinträchtigen.

Die Wiederverwendung eines Einmalprodukts ist gefährlich. Die Wiederaufbereitung von Einmalprodukten, um sie erneut zu verwenden, kann ihre Integrität und Leistung deutlich beeinträchtigen.

Die Wiederverwendung eines Einmalprodukts ist gefährlich. Die Wiederaufbereitung von Einmalprodukten, um sie erneut zu verwenden, kann ihre Integrität und Leistung deutlich beeinträchtigen.

Die Wiederverwendung eines Einmalprodukts ist gefährlich. Die Wiederaufbereitung von Einmalprodukten, um sie erneut zu verwenden, kann ihre Integrität und Leistung deutlich beeinträchtigen.

HydroTac transparent is transparent and provides an atraumatic dressing change. Because of the transparency, wound inspection is possible at any time without having to remove the dressing.

As HydroTac transparent confort has a skin-friendly adhesive film border, no other materials are needed to secure the dressing.

Intended use / Indications
HydroTac transparent is suitable for the treatment of dry or lightly exuding wounds in the granulation and epithelialization stages.

HydroTac transparent is intended to be applied by wound care professionals. Wound care professionals may delegate dressing changes to patients and/or their relatives (non-professionals under guidance of professionals).

Mode of application
Select a size of HydroTac transparent so that the wound pad overlaps the margins of the wound by approx. 1–2 cm. If required, the product HydroTac transparent may be cut to desired size, using sterile scissors only. Surrounding skin should be dry before applying HydroTac transparent confort with adhesive border.

HydroTac transparent confort: Remove the blue protective layer following the numbering (1 & 2), place the dressing with the gel-impregnated side on the wound and fix with suitable secondary dressing material.

HydroTac transparent confort: Remove the blue protective layer following the numbering (1 & 2), place the dressing with the gel-impregnated side on the wound and press down the adhesive edges firmly. Remove the protective top layer following the numbering (3 & 4).

HydroTac transparent can be left on wounds up to seven days. To change the dressing, detach HydroTac transparent slightly at one edge and remove it carefully.

Product disposal
To minimize the risk of potential infection hazards or environmental pollution, disposable components of HydroTac transparent should follow disposal procedures according to applicable and local laws, rules, regulations and infection prevention standards.

Contraindications
Do not use HydroTac transparent on patients with an intolerance to any of its ingredients, especially polyurethane, glycerin or acrylic based adhesive. Do not use on wounds which are clinically infected or on 3rd degree burns.

Possible adverse events
As any other medical device, this product can have side effects, which do not necessarily occur for everybody.

General side effects of HydroTac transparent:

• In rare cases HydroTac transparent might cause local reactions (irritation, skin reactions e.g. redness, swelling)

• In rare cases HydroTac transparent might cause allergic reactions. In case you notice any effects not listed here, contact your doctor or pharmacist.

Special precautions
Medical assessment of the condition of the wound and the causes of any delay in wound healing are necessary before treating wounds with impaired healing. Treatment with HydroTac transparent cannot replace treatment of the cause of impaired healing.

Reusing a single-use medical device is dangerous. Reprocessing devices, in order to reuse them, may seriously damage their integrity and their performance.

Notice to the user and patient: Please report any serious incident that has occurred in relation to the device to the manufacturer and the competent authority of the Member State in which the user and/or patient is established.

General instructions
The product may discolour over time without impact on the product performance. Keep out of reach of children.

Any reference to HydroTac transparent contained in the text refers to all presentation, including comfort versions; unless otherwise specified.

Date of revision of the text: 2019-02

Distributor
HARTMANN USA, Inc.
Rock Hill, SC 29730, USA
1-800-243-2294
www.hartmanninfo.com

GB – PAUL HARTMANN Pty. Ltd., Macquarie Park, NSW 2113
AU – PAUL HARTMANN Ltd.
Heywood/Greater Manchester O10 2169
ZA – HARTMANN South Africa – Northriding, ZIT 7

FR – Lab. PAUL HARTMANN S.A.r.l., Châtenois – 67607 Sélestat CEDEX
BE – N.V. PAUL HARTMANN S.A. - 1480 Saintes/Sint-Renele

Any reference to HydroTac transparent contained in the text refers to all presentation, including comfort versions; unless otherwise specified.

Date of revision of the text: 2019-02

Distributor
HARTMANN USA, Inc.
Rock Hill, SC 29730, USA
1-800-243-2294
www.hartmanninfo.com

GB – PAUL HARTMANN Pty. Ltd., Macquarie Park, NSW 2113
AU – PAUL HARTMANN Ltd.
Heywood/Greater Manchester O10 2169
ZA – HARTMANN South Africa – Northriding, ZIT 7

FR – Lab. PAUL HARTMANN S.A.r.l., Châtenois – 67607 Sélestat CEDEX
BE – N.V. PAUL HARTMANN S.A. - 1480 Saintes/Sint-Renele

Any reference to HydroTac transparent contained in the text refers to all presentation, including comfort versions; unless otherwise specified.

Date of revision of the text: 2019-02

Distributor
HARTMANN USA, Inc.
Rock Hill, SC 29730, USA
1-800-243-2294
www.hartmanninfo.com

GB – PAUL HARTMANN Pty. Ltd., Macquarie Park, NSW 2113
AU – PAUL HARTMANN Ltd.
Heywood/Greater Manchester O10 2169
ZA – HARTMANN South Africa – Northriding, ZIT 7

FR – Lab. PAUL HARTMANN S.A.r.l., Châtenois – 67607 Sélestat CEDEX
BE – N.V. PAUL HARTMANN S.A. - 1480 Saintes/Sint-Renele

Any reference to HydroTac transparent contained in the text refers to all presentation, including comfort versions; unless otherwise specified.

Date of revision of the text: 2019-02

Distributor
HARTMANN USA, Inc.
Rock Hill, SC 29730, USA
1-800-243-2294
www.hartmanninfo.com

GB – PAUL HARTMANN Pty. Ltd., Macquarie Park, NSW 2113
AU – PAUL HARTMANN Ltd.
Heywood/Greater Manchester O10 2169
ZA – HARTMANN South Africa – Northriding, ZIT 7

FR – Lab. PAUL HARTMANN S.A.r.l., Châtenois – 67607 Sélestat CEDEX
BE – N.V. PAUL HARTMANN S.A. - 1480 Saintes/Sint-Renele

Any reference to HydroTac transparent contained in the text refers to all presentation, including comfort versions; unless otherwise specified.

Date of revision of the text: 2019-02

Distributor
HARTMANN USA, Inc.
Rock Hill, SC 29730, USA
1-800-243-2294
www.hartmanninfo.com

GB – PAUL HARTMANN Pty. Ltd., Macquarie Park, NSW 2113
AU – PAUL HARTMANN Ltd.
Heywood/Greater Manchester O10 2169
ZA – HARTMANN South Africa – Northriding, ZIT 7

HydroTac transparent is transparent and provides an atraumatic dressing change. Because of the transparency, wound inspection is possible at any time without having to remove the dressing.

As HydroTac transparent confort has a skin-friendly adhesive film border, no other materials are needed to secure the dressing.

Intended use / Indications
HydroTac transparent is suitable for the treatment of dry or lightly exuding wounds in the granulation and epithelialization stages.

HydroTac transparent is intended to be applied by wound care professionals. Wound care professionals may delegate dressing changes to patients and/or their relatives (non-professionals under guidance of professionals).

Mode of application
Select a size of HydroTac transparent so that the wound pad overlaps the margins of the wound by approx. 1–2 cm. If required, the product HydroTac transparent may be cut to desired size, using sterile scissors only. Surrounding skin should be dry before applying HydroTac transparent confort with adhesive border.

HydroTac transparent confort: Remove the blue protective layer following the numbering (1 & 2), place the dressing with the gel-impregnated side on the wound and fix with suitable secondary dressing material.

HydroTac transparent confort: Remove the blue protective layer following the numbering (1 & 2), place the dressing with the gel-impregnated side on the wound and press down the adhesive edges firmly. Remove the protective top layer following the numbering (3 & 4).

HydroTac transparent can be left on wounds up to seven days. To change the dressing, detach HydroTac transparent slightly at one edge and remove it carefully.

Product disposal
To minimize the risk of potential infection hazards or environmental pollution, disposable components of HydroTac transparent should follow disposal procedures according to applicable and local laws, rules, regulations and infection prevention standards.

Contraindications
Do not use HydroTac transparent on patients with an intolerance to any of its ingredients, especially polyurethane, glycerin or acrylic based adhesive. Do not use on wounds which are clinically infected or on 3rd degree burns.

Possible adverse events
As any other medical device, this product can have side effects, which do not necessarily occur for everybody.

General side effects of HydroTac transparent:

• In rare cases HydroTac transparent might cause local reactions (irritation, skin reactions e.g. redness, swelling)

• In rare cases HydroTac transparent might cause allergic reactions. In case you notice any effects not listed here, contact your doctor or pharmacist.

Special precautions
Medical assessment of the condition of the wound and the causes of any delay in wound healing are necessary before treating wounds with impaired healing. Treatment with HydroTac transparent cannot replace treatment of the cause of impaired healing.

Reusing a single-use medical device is dangerous. Reprocessing devices, in order to reuse them, may seriously damage their integrity and their performance.

Notice to the user and patient: Please report any serious incident that has occurred in relation to the device to the manufacturer and the competent authority of the Member State in which the user and/or patient is established.

General instructions
The product may discolour over time without impact on the product performance. Keep out of reach of children.

Any reference to HydroTac transparent contained in the text refers to all presentation, including comfort versions; unless otherwise specified.

Date of revision of the text: 2019-02

Distributor
HARTMANN USA, Inc.
Rock Hill, SC 29730, USA
1-800-243-2294
www.hartmanninfo.com

GB – PAUL HARTMANN Pty. Ltd., Macquarie Park, NSW 2113
AU – PAUL HARTMANN Ltd.
Heywood/Greater Manchester O10 2169
ZA – HARTMANN South Africa – Northriding, ZIT 7

FR – Lab. PAUL HARTMANN S.A.r.l., Châtenois – 67607 Sélestat CEDEX
BE – N.V. PAUL HARTMANN S.A. - 1480 Saintes/Sint-Renele

Any reference to HydroTac transparent contained in the text refers to all presentation, including comfort versions; unless otherwise specified.

Date of revision of the text: 2019-02

Distributor
HARTMANN USA, Inc.
Rock Hill, SC 29730, USA
1-800-243-2294
www.hartmanninfo.com

GB – PAUL HARTMANN Pty. Ltd., Macquarie Park, NSW 2113
AU – PAUL HARTMANN Ltd.
Heywood/Greater Manchester O10 2169
ZA – HARTMANN South Africa – Northriding, ZIT 7

FR – Lab. PAUL HARTMANN S.A.r.l., Châtenois – 67607 Sélestat CEDEX
BE – N.V. PAUL HARTMANN S.A. - 1480 Saintes/Sint-Renele

Any reference to HydroTac transparent contained in the text refers to all presentation, including comfort versions; unless otherwise specified.

Date of revision of the text: 2019-02

Distributor
HARTMANN USA, Inc.
Rock Hill, SC 29730, USA
1-800-243-2294
www.hartmanninfo.com

GB – PAUL HARTMANN Pty. Ltd., Macquarie Park, NSW 2113
AU – PAUL HARTMANN Ltd.
Heywood/Greater Manchester O10 2169
ZA – HARTMANN South Africa – Northriding, ZIT 7

FR – Lab. PAUL HARTMANN S.A.r.l., Châtenois – 67607 Sélestat CEDEX
BE – N.V. PAUL HARTMANN S.A. - 1480 Saintes/Sint-Renele

Any reference to HydroTac transparent contained in the text refers to all presentation, including comfort versions; unless otherwise specified.

Date of revision of the text: 2019-02

Distributor
HARTMANN USA, Inc.
Rock Hill, SC 29730, USA
1-800-243-2294
www.hartmanninfo.com

GB – PAUL HARTMANN Pty. Ltd., Macquarie Park, NSW 2113
AU – PAUL HARTMANN Ltd.
Heywood/Greater Manchester O10 2169
ZA – HARTMANN South Africa – Northriding, ZIT 7

FR – Lab. PAUL HARTMANN S.A.r.l., Châtenois – 67607 Sélestat CEDEX
BE – N.V. PAUL HARTMANN S.A. - 1480 Saintes/Sint-Renele

Any reference to HydroTac transparent contained in the text refers to all presentation, including comfort versions; unless otherwise specified.

Date of revision of the text: 2019-02

Distributor
HARTMANN USA, Inc.
Rock Hill, SC 29730, USA
1-800-243-2294
www.hartmanninfo.com

GB – PAUL HARTMANN Pty. Ltd., Macquarie Park, NSW 2113
AU – PAUL HARTMANN Ltd.
Heywood/Greater Manchester O10 2169
ZA – HARTMANN South Africa – Northriding, ZIT 7

HydroTac transparent may maximally even days on the wound blijven zitten. Bij het verwijderen van het verband trekt u HydroTac transparent aan een zijde iets los en trekt u het voorzichtig uit de wond.

As HydroTac transparent confort has a skin-friendly adhesive film border, no other materials are needed to secure the dressing.

Intended use / Indications
HydroTac transparent is suitable for the treatment of dry or lightly exuding wounds in the granulation and epithelialization stages.

HydroTac transparent is intended to be applied by wound care professionals. Wound care professionals may delegate dressing changes to patients and/or their relatives (non-professionals under guidance of professionals).

Mode of application
Select a size of HydroTac transparent so that the wound pad overlaps the margins of the wound by approx. 1–2 cm. If required, the product HydroTac transparent may be cut to desired size, using sterile scissors only. Surrounding skin should be dry before applying HydroTac transparent confort with adhesive border.

HydroTac transparent confort: Remove the blue protective layer following the numbering (1 & 2), place the dressing with the gel-impregnated side on the wound and fix with suitable secondary dressing material.

HydroTac transparent confort: Remove the blue protective layer following the numbering (1 & 2), place the dressing with the gel-impregnated side on the wound and press down the adhesive edges firmly. Remove the protective top layer following the numbering (3 & 4).

HydroTac transparent can be left on wounds up to seven days. To change the dressing, detach HydroTac transparent slightly at one edge and remove it carefully.

Product disposal
To minimize the risk of potential infection hazards or environmental pollution, disposable components of HydroTac transparent should follow disposal procedures according to applicable and local laws, rules, regulations and infection prevention standards.

Contraindications
Do not use HydroTac transparent on patients with an intolerance to any of its ingredients, especially polyurethane, glycerin or acrylic based adhesive. Do not use on wounds which are clinically infected or on 3rd degree burns.

Possible adverse events
As any other medical device, this product can have side effects, which do not necessarily occur for everybody.

General side effects of HydroTac transparent:

• In rare cases HydroTac transparent might cause local reactions (irritation, skin reactions e.g. redness, swelling)

• In rare cases HydroTac transparent might cause allergic reactions. In case you notice any effects not listed here, contact your doctor or pharmacist.

Special precautions
Medical assessment of the condition of the wound and the causes of any delay in wound healing are necessary before treating wounds with impaired healing. Treatment with HydroTac transparent cannot replace treatment of the cause of impaired healing.

Reusing a single-use medical device is dangerous. Reprocessing devices, in order to reuse them, may seriously damage their integrity and their performance.

Notice to the user and patient: Please report any serious incident that has occurred in relation to the device to the manufacturer and the competent authority of the Member State in which the user and/or patient is established.

General instructions
The product may discolour over time without impact on the product performance. Keep out of reach of children.

Any reference to HydroTac transparent contained in the text refers to all presentation, including comfort versions; unless otherwise specified.

Date of revision of the text: 2019-02

Distributor
HARTMANN USA, Inc.
Rock Hill, SC 29730, USA
1-800-243-2294
www.hartmanninfo.com

GB – PAUL HARTMANN Pty. Ltd., Macquarie Park, NSW 2113
AU – PAUL HARTMANN Ltd.
Heywood/Greater Manchester O10 2169
ZA – HARTMANN South Africa – Northriding, ZIT 7

FR – Lab. PAUL HARTMANN S.A.r.l., Châtenois – 67607 Sélestat CEDEX
BE – N.V. PAUL HARTMANN S.A. - 1480 Saintes/Sint-Renele

Any reference to HydroTac transparent contained in the text refers to all presentation, including comfort versions; unless otherwise specified.

Date of revision of the text: 2019-02

Distributor
HARTMANN USA, Inc.
Rock Hill, SC 29730, USA
1-800-243-2294
www.hartmanninfo.com

GB – PAUL HARTMANN Pty. Ltd., Macquarie Park, NSW 2113
AU – PAUL HARTMANN Ltd.
Heywood/Greater Manchester O10 2169
ZA – HARTMANN South Africa – Northriding, ZIT 7

FR – Lab. PAUL HARTMANN S.A.r.l., Châtenois – 67607 Sélestat CEDEX
BE – N.V. PAUL HARTMANN S.A. - 1480 Saintes/Sint-Renele

Any reference to HydroTac transparent contained in the text refers to all presentation, including comfort versions; unless otherwise specified.

Date of revision of the text: 2019-02

Distributor
HARTMANN USA, Inc.
Rock Hill, SC 29730, USA
1-800-243-2294
www.hartmanninfo.com

GB – PAUL HARTMANN Pty. Ltd., Macquarie Park, NSW 2113
AU – PAUL HARTMANN Ltd.
Heywood/Greater Manchester O10 2169
ZA – HARTMANN South Africa – Northriding, ZIT 7

FR – Lab. PAUL HARTMANN S.A.r.l., Châtenois – 67607 Sélestat CEDEX
BE – N.V. PAUL HARTMANN S.A. - 1480 Saintes/Sint-Renele

Any reference to HydroTac transparent contained in the text refers to all presentation, including comfort versions; unless otherwise specified.

Date of revision of the text: 2019-02

Distributor
HARTMANN USA, Inc.
Rock Hill, SC 29730, USA
1-800-243-2294
www.hartmanninfo.com

GB – PAUL HARTMANN Pty. Ltd., Macquarie Park, NSW 2113
AU – PAUL HARTMANN Ltd.
Heywood/Greater Manchester O10 2169
ZA – HARTMANN South Africa – Northriding, ZIT 7

FR – Lab. PAUL HARTMANN S.A.r.l., Châtenois – 67607 Sélestat CEDEX
BE – N.V. PAUL HARTMANN S.A. - 1480 Saintes/Sint-Renele

Any reference to HydroTac transparent contained in the text refers to all presentation, including comfort versions; unless otherwise specified.

Date of revision of the text: 2019-02

Distributor
HARTMANN USA, Inc.
Rock Hill, SC 29730, USA
1-800-243-2

